


## Introduction

This application note demonstrates how to design a Keypad Encoder using the asynchronous state machine in the SLG46531.

As shown in Figure 1, the design of this 4x4 keypad encoder is constructed on the basis of the Asynchronous State Machine Macrocell (ASMM). The ASMM is used as a serial connection to one of the 16 keys.

## 4-bit Counter on ASMM

A 4-bit counter is realized using 8-states Asynchronous state machine (ASM). To go through the full cycle and to return into 0<sup>th</sup> state, 16 state transitions should be done. Two Lower bits are decoded from binary code and control 4 lines, which are connected to the matrix buttons' (switches) columns. If the counter code is equal to «XX00», then the first line will be LOW and three others will be HIGH. Similarly «XX01» code – the second line, «XX10» – the third, «XX11» – the fourth will be LOW and three others – HIGH.




**Figure 1. 4x4 Keypad encoder design**



By the external connection each line is connected to the matrix column (1<sup>st</sup> – to the 1<sup>st</sup> and so on). The two higher bits control the MUX (sel1 and sel2 inputs), whose inputs are connected to the matrix buttons' (switches) rows. If the counter code is «00XX», then the first row will be connected to the MUX input. Similarly: «01XX» code – the second row, «10XX» – the third row and «11XX» – the fourth row.

When the switched button is detected, the MUX output will go HIGH, which stops the generator and its value will be output to the D0..D3 outputs, or by the request of the MC using I<sup>2</sup>C protocol.



**Figure 2. ASM block diagram design**

### I<sup>2</sup>C Output


In this design the pressed button code transfer function on the two lines using I<sup>2</sup>C protocol is realized. To do this it is necessary to ask for the next MC address: 3<sup>rd</sup> MC bank, 247<sup>th</sup> data byte. The lowest bit of the byte will contain the information whether the button is pressed or not. From the 2<sup>nd</sup> to 5<sup>th</sup> bit (4 bits) – pressed button code (if the first bit is equal to "1"). The 6<sup>th</sup>, 7<sup>th</sup> and 8<sup>th</sup> bits information doesn't matter to us and they should be ignored.

The program code (for demo-board "Arduino UNO") example implementation is provided in the attachment. This solution allows using only 2 line interface to a 16-button matrix, which is valuable when limited by a MC with a small number of free pins.

### Conclusion

This keypad decoder design illustrates the ease of using asynchronous state machine design, and the advantage of freeing up MC pins when used for MC expansion.

Ext. Keypad 4X4



**Figure 3. External Expansion Keyboard  
(16 Keys 4X4 Matrix)**

### Related Files

Programming code for **GreenPAK Designer**.  
Programming code for Arduino.



## **About the Author**

Name: Petro Levandovych

Background: Petro Levandovych joined Silego in 2012 and has more than 5 year experience in electronics, radio communication equipment, microcontrollers and automated information systems. He began his career with State Enterprise LVIV RADIO ENGINEERING RESEARCH INSTITUTE (SE LRERI), working as System Developer Engineer. Petro has graduated from the Lviv Polytechnic University as a specialist in Radio Communication Equipment Engineering in 2009.

Contact: [\*\*appnotes@silego.com\*\*](mailto:appnotes@silego.com)



## Document History

Document Title: Asynchronous State Machine 4x4 Keypad Encoder

Document Number: AN-1088

Revision	Orig. of Change	Submission Date	Description of Change
A	Petro Levandovych	10/28/2015	New application note

## Worldwide Sales and Design Support

Silego Technology maintains a worldwide network of offices, solution centers, manufacturer's representatives, and distributors. To find the sales person closest to you, visit us at **Sales Representatives and Distributors**.

## About Silego Technology

Silego Technology, Inc. is a fabless semiconductor company headquartered in Santa Clara, California, with operations in Taiwan, and additional design/technology centers in China, Korea and Ukraine.



**SILEGO**  
TECHNOLOGY

**Silego Technology Inc.**  
1515 Wyatt Drive  
Santa Clara, CA 95054

**Phone:** 408-327-8800  
**Fax:** 408-988-3800  
**Website:** [www.silego.com](http://www.silego.com)